
# MonoSport 45





**DESCRIPTION** 

Primary Yarn Polymer Polyethylene

Yarn Cross Section Polyethylene Monofilament

Standard Color FG/LA

**PROPERTY** 

Additional Colors Available White; Yellow

UV Stabilized Yes

Fabric Construction Tufted

**Primary Backing** Dual layered woven polypropylene

**Coating Type** SilverBack™ Polyurethane

**Perforations** Yes


Polyethylene Yarn Denier/Ends 1800/6

**Recommended Infill** 1 lb. Silica Sand; 3 lbs. SBR Rubber

Pile Height 2 3/8"

Pile Weight 45 oz.

### **FL449**



#### Standard Line and Field Colors\*





This field product should be installed on a compacted aggregate base. The turf blades in Monosport Q45 are designed to perform in most sporting applications.





**APPLICATION** 













## **TESTING**

### **MONOSPORT 45**

FINISHED FABRIC	<b>ENGLISH SYSTEM</b>		METRIC	SYSTEM	<b>ASTM TEST</b>
Nominal Specification	Value	Units	Value	Units	Method
Pile Height (Nominal)	2.375	In.	60.00	mm.	D-5823
Face Weight	45	oz/yd²	1526	g/m²	D-5848
Total Fabric Weight	72	oz/yd²	2441	g/m²	D-5848
Primary backing Weight	7.4	oz/yd²	251	g/m²	D-5848
Secondary Coating Weight	22	oz/yd²	746	g/m²	D-5848
Tuft Bind	>10	lbs.	>3.6	Kg.	D-1335
Grab Tear Strength (Average)	>200	lbs.	>91	Kg.	D-2256
Lead Content	<50	ppm	<50	ppm	D-2765
Total Yarn Linear Density	10,800	Denier	12,000	D-Tex	D-1577
Tensile Strength	16	lbs.	7.26	Kg.	D-5034
Stitch Rate	8.4	Per 3"	11	Per 10 cm	D-5793
Machine Gauge	1/2	ln.	1.27	Cm.	D-5793
Flammability	TEST	PASSED	TEST	PASSED	D-2859
Water Permeability w/infill	>30	In./Hr.	>76	Cm./Hr.	F-1551
Fiber Thickness	29.0	mils	310	microns	D-3218
Fabric Width	15	Ft.	4.6	М	None

